

293
294

PENDING CLAIMS – VERSION SHOWING ADDITIONS AND DELETIONS

295

Claim 1 is cancelled without prejudice or disclaimer.

296

297

2. (Amended) The camera of claim [1] 18, wherein the storage medium is an emulsion type film, and wherein the location is imprinted on the film.

298

299

3. The camera of claim 2, wherein the microprocessor further records information regarding the exposure of the photo and date of the photo on or in the storage medium.

300

301

4. The camera of claim 2, wherein the location is imprinted in the image.

301

5. The camera of claim 2, wherein the location is imprinted outside of the image.

302

303

6. The camera of claim 3, wherein the exposure information comprises, the aperture setting, the shutter speed, the film speed.

304

305

306

7. The camera of claim 6, wherein the exposure information further comprises metering information such as aperture priority, shutter priority, or under or over exposure settings of +/- f stops.

307

308

8. (Amended) The camera of claim [1] 18, wherein the image is stored in the storage medium in a digital format.

309

310

9. The camera of claim 8, wherein the storage medium is solid state memory.

10. The camera of claim 8, wherein the storage medium is an optical disk.

311

312

11. The camera of claim 9, wherein the solid state memory is contained in a removable memory card.

313

12. The camera of claim 8, wherein the storage medium is flash type memory.

314 13. (Amended) The camera of claim [1] 18, wherein the location is determined for each
315 image recorded.

316 14. (Amended) The camera of claim [1] 18, wherein the location is determined for a
317 series of images.

318 15. (Amended) The camera of claim [1] 18, wherein the location information comprises
319 geographic coordinates.

320 16. (Amended) The camera of claim [1] 18, wherein the location information comprises
321 the name of the city, state, country, province, or locale where the image was taken.

322 17. (Amended) The camera of claim [1] 18, wherein [microprocessor controlled system]
323 the camera further comprises a global positioning system.

324 18. (Amended) A camera comprising:

325 optics;

326 an image storage medium; and

327 [The camera of claim 1, wherein the microprocessor controlled system
328 comprises] a cellular transceiver operable to send and receive signals from nearby cellular towers.

329 *Claim 19 is cancelled without prejudice or disclaimer.*

330 20. (Amended) The method of claim [19] 24, further comprising manipulating the
331 images and locations into a travel log.

332 21. (Amended) The method of claim [19] 24, wherein the storage medium is flash
333 memory.

334 22. (Amended) The method of claim [19] 24, wherein the storage medium is an
335 emulsion type film.

336 23. (Amended) The method of claim [19] 24 wherein determining the location further
337 comprises communicating with global positioning satellites via a global positioning receiver.

338 24. (Amended) A method for determining and recording the location of an image
339 comprising:

340 capturing and recording the image on a storage medium with a camera;

341 determining the location where the image was captured with said camera,

342 wherein determining the location comprises triangulating the location of the camera via a
343 cellular transceiver; and

344 recording the location where the image was captured on the storage medium, such that the
345 image and the location are correlated.

346 25. (Amended) The method of claim [23] 24 wherein [determining the location
347 comprises] triangulating the location of the camera [via a cellular transceiver] comprises analyzing a
348 signal strength of a communication signal between a cell site antenna and the cellular transceiver.

349 26. The method of claim 23 wherein the location is determined for each image recorded
350 by the camera.

351 27. The method of claim 23 wherein the location is determined when prompted by a user
352 of the camera.

353 28. The method of claim 27, wherein the prompting is triggered by taking of the image or
354 by a separate command issued by the user.

355 29. (Amended) The method of claim [23] 24, wherein triangulating the location of the
356 camera comprises usage of a cellular control channel.

357 30. (Amended) The method of claim [19] 24, wherein the image location is recorded in
358 or near the image frame.

359 31. (Amended) The method of claim [19] 24 further comprising recording exposure
360 information for each image recorded.

361 32. (Amended) The method of claim [19] 24 wherein determining the location comprises
362 determining the geographic coordinates of the location.

363 33. The method of claim 32 further comprising correlating the geographic coordinates
364 with the name of the location.

365 34. (Amended) A camera for capturing an image comprising:
366 optical lens means for capturing an optical image;
367 means for recording the optical image onto a storage medium;
368 means for determining the location where the optical image was captured with
369 cellular signals received from cellular towers; and
370 means for recording the location onto the storage medium.

371 35. The camera of claim 34 wherein the means for recording the optical image records a
372 digital image, and wherein the storage medium is a flash memory card.

373 36. The camera of claim 34 wherein the means for determining the location comprises a
374 GPS receiver that determines the position of the camera when the image is captured.

375 37. The camera of claim 34 wherein the means for the determining the location
376 comprises a cellular transceiver that triangulates the position of the camera when the image is
377 captured.

378 38. (Amended) The camera of claim 34 wherein the means for recording the location
379 comprises an[d] optical mechanism that exposes a portion of the storage medium with light in order
380 to record the information on the storage medium.

381 39. The camera of claim 34, wherein the means for determining the location determines
382 the name of the location of the image.

383 40. The camera of claim 34, wherein the means for determining the location determines
384 the geographic coordinates of the location of the image.

385 *Claim 41 is cancelled without prejudice or disclaimer.*

386 42. (Amended) A camera comprising:
387 an optical lens for focusing an image onto a focal plane;
388 a storage medium for recording the image, the medium comprising film or memory cells;
389 and
390 a location sensing system, the system configured to record the location onto the storage
391 medium

392 [The camera of claim 41], wherein the location sensing system comprises a cellular transceiver, the
393 system configured to triangulate the position of the camera through signals sent and/or received by
394 the transceiver.

395 43. The camera of claim 42, wherein one or more of the signals is sent and/or received
396 over a cellular control channel.

397 44. (Amended) The camera of claim [41] 42, wherein the location sensing system
398 comprises a GPS receiver.

399 45. (Amended) The camera of claim [41] 42, wherein the camera [is a] captures moving
400 video [camera] images.

401 *Claim 46 is cancelled without prejudice or disclaimer.*

402 47. (New) The camera of claim 18, wherein the camera utilizes the microprocessor and the
403 transceiver to determine the position of the camera.

404 48. (New) The camera of claim 4, wherein the exposure information comprises one or more
405 of the aperture setting, the shutter speed, and the film speed.

406 49 (New) The method of claim 25 wherein triangulating comprises measuring the signal
407 strengths of control and voice channels of nearby cells.

408 50 (New) The camera of claim 18 wherein the signals comprise location information.

409 51 (New) The camera of claim 43 wherein one or more of the signals is sent over a dedicated
410 physical control channel.

411 52 (New) The camera of claim 34 wherein the short message service of a control channel is
412 utilized in determining the location.

413

414